


BRIDLE

TRAMONTANA_2000

117300



Standard bridle: O = 69 M = 76 A = 84,5
 Turbo bridle: O = 50 M = 65,5 A = 58,5 S = 10,5

MATERIAL
 Corded Dyneema 96 kp

INFOS

KATEGORIE

- Beginne
- Advance
- Master
- Allroun
- Trick
- Traction
- Precision
- Freestyl
- Tea
- Low

WINDBEREICH — OPT. WIND


8 - 35 KM/H	15 KM/H
5 - 22 MPH	9 MPH
2 - 5 BFT.	3 BFT.
4 - 19 KNOT.	8 KNOT.

SCHNUR

25 - 90 kp	20 - 40 m
50 - 190lbs	65 - 130 ft

ABMESSUNGE

	cm	inch
	233	91,7
	123	48.4
	g	oz
	335	11,8



FRAME

ITEM NUM.	MOUNTING POSITION	ITEM NAME	#	LENGTH
a60082	leading Edge	5,9 mm carbontube Avia .2300	4	82,5
a60125	Spine	5,9 mm carbontube Avia .2300	1	106
a60082	low. spreader	5,9 mm carbontube Avia .2300	2	82,5
a60065	upp. spreader	5,9 mm carbontube Avia .2300	1	65
130105	outer standoff	2,1 mm fiberglasrod wrapped	2	21,5
130105	inner standoff	2,1 mm fiberglasrod wrapped	2	23
a20071	batten	Microcarbon AVIA .080	2	16,3
		Fiberglas, 2,1mm, 2m lang		
		Fiberglas, 2,1mm, 2m lang		
		Fiberglas 3,0mm 2m lang		

HINTS & TIPPS

Our successful competition kite the Tramontana has been redesigned by Chris Matheson. Chris has prepared the Tramontana 2000 series for the demands of new breed of competition flyer. The precision is as rail tight as ever, but the tricks come easy and quick.

SAIL

Spinnaker Polyester

INCLUDED

PARTS

ITEM NUM.	MOUNTING POSITION	ITEM NAME	#
153407	Upper Leading Edge	HQ connector 5,9 mm	2
153407	Lower Leading Edge	HQ connector 5,9 mm	2
153660	Wingtip	HQ nock 6 mm	1
160060	Center T	center tee 6 mm (Exel)	1
153660	Spinetip	HQ nock 6 mm	1
153416	Standoff/Spreader	HQ standoff connector 5.5 - 6.3 mm	4
153412	inner Standoff/Sail	HQ standoff clip 2 mm	2
153412	outer Standoff/Sail	HQ standoff clip 2 mm	2
153416	Leading Edge/sail (batten)	HQ standoff connector 5.5 - 6.3 mm	2
153120	Leading Edge Ferulle	Avia alu ferulle .2300	2
135979	lower spreader	reinforcemant fiberglas plug Avia .2300 10	2
153490	Spine/Upper Spreader	rubber ring 10/4 mm	1

PRODUCT INTRODUCTION — PRODUCT CLEARING

Februar 1998