


**BRIDLE**

**JAM\_SESSION\_CLASSIC**

116725N



O= 56 M= 64 A= 64 (59/54,5)

**MATERIAL**  
96 kp Dyneema ummantelt

**INFOS**

**CATEGORY**

- Beginne
- Advance
- Master
- Allroun
- Trick
- Traction
- Precision
- Freestyl
- Tea
- Low

**WIND RANGE**

5 - 38 KM/H  
3 - 24 MPH  
1 - 5 BFT.  
3 - 21 KNOT.

**OPT. WIND**


15 KM/H  
9 MPH  
3 BFT.  
8 KNOT.

**FLYING LINE**

25 - 75 kp      15 - 35 m  
50 - 160lbs    45 - 115 ft

**DIMENSIONS**

cm    inch  
220   86,6  
106   41,7  
g      oz  
325   11,5



**HINTS & TIPPS**

High performance kite suitable for beginners. Flies very steadily and precisely, excellent stunt qualities. An all-round kite.

**SAIL MATERIAL**

Ripstop Nylon.

**INCLUDED**

**PRODUCT INTRODUCTION** — **PRODUCT CLEARING**

Februar 1998

**FRAME**

ITEM NUM.	MOUNTING POSITION	ITEM NAME	#	LENGTH
A60150	leading Edge	6 mm carbontube Avia .2300	2	150
A60100	Spine	6 mm carbontube Avia .2300	1	100
A60075	low. spreader	6 mm carbontube Avia .2300	2	75
A60055	upp. spreader	6 mm carbontube Avia .2300	1	50
130105	outer standoff	2 mm fiberglasrod wrapped	2	21,5
130105	mid. standoff	2 mm fiberglasrod wrapped	2	23,5
130105	inner standoff	2 mm fiberglasrod wrapped	2	21,5

**PARTS**

ITEM NUM.	MOUNTING POSITION	ITEM NAME	#
153407	Upper Leading Edge	HQ Connector 5,9 mm	2
153407	Lower Leading Edge	HQ Connector 5,9 mm	2
153660	Wingtip	HQ nock 6 mm	2
160460	Center T	cross joint 6 mm	1
153416	Spinetip	standoff connector 5,5 - 6,3 mm	1
153416	Standoff/Spreader	standoff connector 5,5 - 6,3 mm	6
153412	Standoff/Sail	standoff clip/tipp 2 mm	6
153490	Spine/Upper Spreader	rubber ring 10/4 mm	1
135914	Leading Edge Ferulle	alu ferulle Avia .2300	2