


27.04.2021 14:27:42

BRIDLE

JAM_SESSION_VENTEX

116729



O=56; M=64; A=64

MATERIAL



INFOS

CATEGORY

- Beginne
- Advance
- Master
- Allroun
- Trick
- Traction
- Precision
- Freestyl
- Tea
- Low

WIND RANGE


WIND RANGE	OPT. WIND
5 - 38 KM/H	15 KM/H
3 - 24 MPH	9 MPH
1 - 5 BFT.	3 BFT.
3 - 21 KNOT.	8 KNOT.

FLYING LINE

25 - 75 kp	15 - 35 m
50 - 160 lbs	45 - 115 ft

DIMENSIONS

	cm	inch
	220	86,6
	106	41,7
	g	oz
	290	10,2



HINTS & TIPPS

SAIL MATERIAL

Ventex light Ripstop polyester

INCLUDED

PRODUCT INTRODUCTION — **PRODUCT CLEARING**

Februar 1998

FRAME

ITEM NUM.	MOUNTING POSITION	ITEM NAME	#	LENGTH
A60150	leading Edge	Kohlefaser AVIA .2300 1,5m	2	150
A60100	Spine	Kohlefaser AVIA .2300 1m	1	100
A60075	low. spreader	Kohlefaser AVIA .2300 0,75m	2	75
A60055	upp. spreader	Kohlefaser AVIA .2300 0,55 m	1	50
130105	outer standoff	Fiberglas, 2,1mm, 2m lang	2	21,5
130105	mid. standoff	Fiberglas, 2,1mm, 2m lang	2	23,5
130105	inner standoff	Fiberglas, 2,1mm, 2m lang	2	21,5

PARTS

ITEM NUM.	MOUNTING POSITION	ITEM NAME	#
153660	Wingtip	HQ-nock 6mm	2
144550		endcap 5,5mm	3
144200	Standoff/Spreader	endcap 2mm	6
153412	Standoff/Sail	standoff clip 2mm	6
153416	Standoff/Spreader	standoff connector 5,5-6,3	6
153407	leading edge	leading edge connector 5,9	4
153495		clip, 6mm	8
160060	Center T	cross joint, 6mm	1
153490	Spine/Upper Spreader	rubber ring 10/4	1
153416	Standoff/Spreader	standoff connecto 5,5-6,3	1